

## Part of literatures on SAM and SAH measured with methods other than immunoassays

### Osteoarthritis

1. Najm WI, Reinsch S, Hoehler F, Tobis JS, Harvey PW. **S-adenosyl methionine (S-AdoMet) versus celecoxib for the treatment of osteoarthritis symptoms: a double-blind cross-over trial.** [ISRCTN36233495]. *BMC Musculoskelet Disord.* 2004 Feb 26; 5:6.
2. Padova CD. **S-adenosyl-L-methionine in the treatment of osteoarthritis: review of the clinical studies.** *Am J Med.* 1987; 83:60-65.
3. Soeken KL, Lee WL, Bausell RB, Agelli M, Berman BM. **Safety and efficacy of S-adenosylmethionine (S-AdoMet) for osteoarthritis.** *J Fam Pract.* 2002;51(5):425-30.

### Psychiatry

4. Mischoulon D, Fava M. **Role of S-adenosyl-L-methionine in the treatment of depression: a review of the evidence.** *Am J Clin Nutr.* 2002 Nov; 76(5):1158S-61S.
5. Tunbridge EM, Harrison PJ, Weinberger DR. **Catechol-o-methyltransferase, cognition, and psychosis: Val158Met and beyond.** *Biol Psychiatry.* 2006 Jul 15; 60(2):141-51.
6. Papakostas GI. **Evidence for S-adenosyl-L-methionine (SAM-e) for the treatment of major depressive disorder.** *J Clin Psychiatry.* 2009; 70 Suppl 5:18-22.
7. Chan A, Shea TB. **Effects of dietary supplementation with N-acetyl cysteine, acetyl-L-carnitine and S-adenosyl methionine on cognitive performance and aggression in normal mice and mice expressing human ApoE4.** *Neuromolecular Med.* 2007; 9(3):264-9.
8. Bressa GM. **S-adenosyl-L-methionine (SAMe) as antidepressant: meta-analysis of clinical studies.** *Acta Neurol Scand Suppl.* 1994; 154:7-14.
9. Goodnick PJ, Sandoval R. **Psychotropic treatment of chronic fatigue syndrome and related disorders.** *J Clin Psychiatry.* 1993; 54:13-20.
10. Kagan BL, Sultzer DL, Rosenlicht N, Gerner RH. **Oral S-adenosylmethionine in depression: a randomized, double blind, placebo-controlled trial.** *Am J Psychiatry.* 1990; 147:591-595.
11. Bell KM, Potkin SG, Carreon D, Plon L. **S-adenosylmethionine blood levels in major depression: changes with drug treatment.** *Acta Neurol Scand Suppl.* 1994; 154:15-18.
12. Sarris J, Price LH, Carpenter LL, Tyrka AR, Ng CH, Papakostas GI, Jaeger A, Fava M, Mischoulon D. **Is S-adenosyl Methionine (SAMe) for depression only effective in males? A re-analysis of data from a randomized clinical trial.** *Pharmacopsychiatry.* 2015;48(4-5):141-144.
13. Sarris J, Papakostas GI, Vitolo O, Fava M, Mischoulon D. **S-adenosyl methionine (SAMe) versus escitalopram and placebo in major depression RCT: efficacy and effects of histamine and carnitine as moderators of response.** *J Affect Disord.* 2014 Aug;164:76-81
14. Tavoni A, Vitali C, Bombardieri, Pasero GS. **Evaluation of S-adenosylmethionine in primary fibromyalgia. A double-blind crossover study.** *Am J Med.* 1987; 83(suppl 5A):107-110.
15. Choi LJ, Huang JS. **A pilot study of S-adenosylmethionine in treatment of functional abdominal pain in children.** *Altern Ther Health Med.* 2013 Sep-Oct;19(5):61-4

### Neurodegenerative

16. Urduingio RG, Sanchez-Mut JV, Esteller M. **Epigenetic mechanisms in neurological diseases: genes, syndromes, and therapies.** *Lancet Neurol.* 2009 Nov; 8(11):1056-72.
17. Coppède F. **The potential of epigenetic therapies in neurodegenerative diseases.** *Front Genet.* 2014 Jul 14;5:220.

18. Bonifácio MJ, Palma PN, Almeida L, Soares-da-Silva P. **Catechol-O-methyltransferase and its inhibitors in Parkinson's disease.** *CNS Drug Rev.* 2007 Fall; 13(3):352-79.
19. Obeid R, Schadt A, Dillmann U, Kostopoulos P, Fassbender K, Herrmann W. **Methylation status and neurodegenerative markers in Parkinson disease.** *Clin Chem.* 2009 Oct; 55(10):1852-60.
20. Obeid R, Kasoha M, Knapp JP, Kostopoulos P, Becker G, Fassbender K, Herrmann W. **Folate and methylation status in relation to phosphorylated tau protein(181P) and beta-amyloid(1-42) in cerebrospinal fluid.** *Clin Chem.* 2007 Jun; 53(6):1129-36.
21. Xu Z, Li H, Jin P. **Epigenetics-Based Therapeutics for Neurodegenerative Disorders.** *Curr Transl Geriatr Exp Gerontol Rep.* 2012 Dec 1; 1(4):229-236.
22. Cheng H, Gomes-Trolin C, Aquilonius SM, Steinberg A, Löfberg C, Ekblom J, et al. **Levels of L-methionine S-adenosyltransferase activity in erythrocytes and concentrations of S-adenosylmethionine and S-adenosylhomocysteine in whole blood of patients with Parkinson's disease.** *Exp Neurol.* 1997; 145:580-585.
23. Bottiglieri T, Hyland K, Reynolds EH. **The clinical potential of admetionine (S-adenosyl-L-methioinine) in neurological disorders.** *Drugs.* 1994; 48:137-152.

### Alzheimer's disease

24. Shea TB, Chan A. **S-adenosyl methionine: a natural therapeutic agent effective against multiple hallmarks and risk factors associated with Alzheimer's disease.** *J Alzheimers Dis.* 2008; 13:67-70.
25. Bottiglieri T, Godfrey P, Flynn T, Carney MW, Toone BK, Reynolds EH. **Cerebrospinal fluid S-adenosyl-L-methionine in depression and dementia: effects of treatment with parenteral and oral S-adenosyl-L-methionine.** *J NeurolNeurosurg Psychiatry.* 1990; 53:1096-1098.
26. Morrison LD, Smith DD, Kish SJ. **Brain S-adenosylmethionine levels are severely decreased in Alzheimer's disease.** *J Neuroche.* 1996; 67:1328-1331.
27. Persichilli S, Gervasoni J, Di Napoli A, Fuso A, Nicolìa V, Giardina B, Scarpa S, Desiderio C, Cavallaro RA, **Plasma thiols levels in Alzheimer's disease mice under diet-induced hyperhomocysteinemia: effect of S-adenosylmethionine and superoxide-dismutase supplementation.** *J Alzheimers Dis.* 2015;44(4):1323-31
28. Panza F, Frisardi V, Capurso C, D'Introno A, Colacicco AM, Di Palo A, Imbimbo BP, Vendemiale G, Capurso A, Solfrizzi V. **Polyunsaturated fatty acid and S-adenosylmethionine supplementation in predementia syndromes and Alzheimer's disease: a review.** *ScientificWorldJournal.* 2009 May 22;9:373-89.

### Congenital diseases

29. Alsayed R, Al Quobaili F, Srour S, Geisel J, Obeid R. **Elevated dimethylglycine in blood of children with congenital heart defects and their mothers.** *Metabolism.* 2013 Aug; 62(8):1074-80.
30. Obeid R, Hartmuth K, Herrmann W, Gortner L, Rohrer TR, Geisel J, Reed MC, Nijhout HF. **Blood biomarkers of methylation in Down syndrome and metabolic simulations using a mathematical model.** *Mol Nutr Food Res.* 2012 Oct; 56(10):1582-9.
31. Grillo MA, Colombatto S. **S-adenosylmethionine and its products.** *Amino Acids.* 2008 Feb; 34(2):187-93. *Epub* 2007 Mar 3

### HIV PCP (Pneumocystis carinii pneumonia)

32. Skelly MJ, Holzman RS, Merali S. **S-adenosylmethionine levels in the diagnosis of Pneumocystis carinii pneumonia in patients with HIV infection.** *Clin Infect Dis.* 2008 Feb 1;46(3):467-71.
33. Skelly M, Hoffman J, Fabbri M, Holzman RS, Clarkson AB Jr, Merali S. **S-adenosylmethionine concentrations in diagnosis of Pneumocystis carinii pneumonia.** *Lancet.* 2003 Apr 12; 361(9365):1267-8.
34. de Boer MG, Gelinck LB, van Zelst BD, van de Sande WW, Willems LN, van Dissel JT, de Jonge R, Kroon FP. **β-D-glucan and S-adenosylmethionine serum levels for the diagnosis of Pneumocystis pneumonia in HIV-negative patients: a prospective study.** *J Infect.* 2011 Jan; 62(1):93-100.
35. Perez-Leal O, Moncada C, Clarkson AB, Merali S. **Pneumocystis S-adenosylmethionine transport: a potential drug target.** *Am J Respir Cell Mol Biol.* 2011 Dec; 45(6):1142-6.
36. Shivji M, Burger S, Moncada CA, Clarkson AB Jr, Merali S. **Effect of nicotine on lung S-adenosylmethionine**

and development of *Pneumocystis pneumonia*. *J Biol Chem*. 2005 Apr 15; 280(15):15219-28. Epub 2005 Jan 24.

## **Liver diseases**

37. Anstee QM, Day CP. **S-adenosylmethionine (SAME) therapy in liver disease: a review of current evidence and clinical utility.** *J Hepatol*. 2012 Nov; 57(5):1097-109.
38. Li T, Yu G, Guo T, Qi H, Bing Y, Xiao Y, Li C, Liu W, Yuan Y, He Y, Liu Z, Liu Q. **The plasma S-adenosylmethionine level is associated with the severity of hepatitis B-related liver disease.** *Medicine (Baltimore)*. 2015 Jan; 94(4):e489.
39. Kiani S, Ebrahimkhani MR, Sharifabrizi A, Doratotaj B, Payabvash S, Riazi K, Dehghani M, Honar H, Karoon A, Amanlou M, Tavangar SM, Dehpour AR. **Opioid system blockade decreases collagenase activity and improves liver injury in a rat model of cholestasis.** *J Gastroenterol Hepatol*. 2007 Mar; 22(3):406-13.
40. Lu SC, Mato JM. **Role of methionine adenosyltransferase and S-adenosylmethionine in alcohol-associated liver cancer.** *Alcohol*. 2005 Apr; 35(3):227-34.
41. Pañeda C, Gorospe I, Herrera B, Nakamura T, Fabregat I, Varela-Nieto I. **Liver cell proliferation requires methionine adenosyltransferase 2A mRNA up-regulation.** *Hepatology*. 2002 Jun; 35(6):1381-91.
42. Yang H, Magilnick N, Noureddin M, Mato JM, Lu SC. **Effect of hepatocyte growth factor on methionine adenosyltransferase genes and growth is cell density-dependent in HepG2 cells.** *J Cell Physiol*. 2007 Mar; 210(3):766-73.
43. Lu SC, Tsukamoto H, Mato JM. **Role of abnormal methionine metabolism in alcoholic liver injury.** *Alcohol*. 2002 Jul; 27(3):155-62.
44. Kharbanda KK. **Alcoholic liver disease and methionine metabolism.** *Semin Liver Dis*. 2009 May; 29(2):155-65.
45. Avila MA, García-Trevijano ER, Martínez-Chantar ML, Latasa MU, Pérez-Mato I, Martínez-Cruz LA, del Pino MM, Corrales FJ, Mato JM. **S-Adenosylmethionine revisited: its essential role in the regulation of liver function.** *Alcohol*. 2002 Jul; 27(3):163-7.
46. Mato JM, Corrales FJ, Lu SC, Avila MA. **S-Adenosylmethionine: a control switch that regulates liver function.** *FASEB J*. 2002 Jan; 16(1):15-26.
47. Frau M, Tomasi ML, Simile MM, Demartis MI, Salis F, Latte G, Calvisi DF, Seddaiu MA, Daino L, Feo CF, Brozzetti S, Solinas G, Yamashita S, Ushijima T, Feo F, Pascale RM. **Role of transcriptional and posttranscriptional regulation of methionine adenosyltransferases in liver cancer progression.** *Hepatology*. 2012 Jul; 56(1):165-75.
48. Lu SC, Mato JM. **S-adenosylmethionine in liver health, injury, and cancer.** *Physiol Rev*. 2012 Oct; 92(4):1515-42.
49. Almasio P, Bortolini M, Pagliaro L, Coltorti M. **Role of S-adenosyl-L-methionine in the treatment of intrahepatic cholestasis.** *Drugs*. 1990;40:111-123
50. Pogribny IP, Miller BJ, James SJ. **Alterations in hepatic p53 gene methylation patterns during tumor progression with folate/methyl deficiency in the rat.** *Cancer Lett*. 1997; 115:31-38.
51. Cooney CA, Wise CK, Poirier LA, Ali SF. **Methamphetamine treatment affects blood and liver S-adenosylmethionine (SAM) in mice: Correlation with dopamine depletion in the striatum.** *Ann NY Acad Sci*. 1998; 844:191-200.
52. Mirecki-Garrido MD, Guerra B, Mateos-Díaz C, Jiménez-Monzón R, Díaz-Chico N, Díaz-Chico JC, et al. **The influence of estrogens on the biological and therapeutic actions of growth hormone in the liver.** *Pharmaceuticals*. 2012; 5:758-778.
53. Morgan TR, Osann K, Bottiglieri T, Pimstone N, Hoefs JC, Hu KQ, Hassanein T, Boyer TD, Kong L, Chen WP, Richmond E, Gonzalez R, Rodriguez LM, Meyskens FL. **A Phase II Randomized, Controlled Trial of S-Adenosylmethionine in Reducing Serum  $\alpha$ -Fetoprotein in Patients with Hepatitis C Cirrhosis and Elevated AFP.** *Cancer Prev Res (Phila)*. 2015 Sep; 8(9):864-72
54. Osorio JS, Jacometo CB, Zhou Z, Luchini D, Cardoso FC, Loor JJ. **Hepatic global DNA and peroxisome proliferator-activated receptor alpha promoter methylation are altered in periparturient dairy cows fed rumen-protected methionine.** *J Dairy Sci*. 2016 Jan; 99(1):234-44
55. Guo T, Chang L, Xiao Y, Liu Q. **S-adenosyl-L-methionine for the treatment of chronic liver disease: a systematic review and meta-analysis.** *PLoS One*. 2015 Mar 16; 10(3):e0122124.
56. Murillo-Fuentes ML, Artillo R, Ubeda N, Varela-Moreiras G, Murillo ML, Carreras O. **Hepatic S-**

- adenosylmethionine after maternal alcohol exposure on offspring rats. *Addict Biol.* 2005 Jun; 10(2):139-44.**
57. Stender S, Chakrabarti RS, Xing C, Gotway G, Cohen JC, Hobbs HH. Adult-onset liver disease and hepatocellular carcinoma in S-adenosylhomocysteine hydrolase deficiency. *Mol Genet Metab.* 2015 Dec; 116(4):269-74
58. Zhang L, Liu XH, Qi HB, Li Z, Fu XD, Chen L, Shao Y, **Ursodeoxycholic acid and S-adenosylmethionine in the treatment of intrahepatic cholestasis of pregnancy: a multi-centered randomized controlled trial.** *Eur Rev Med Pharmacol Sci.* 2015 Oct;19(19):3770-6.
59. Stiuso P, Bagarolo ML, Ilisso CP, Vanacore D, Martino E, Caraglia M, Porcelli M7, Cacciapuoti G. **Protective Effect of Tyrosol and S-Adenosylmethionine against Ethanol-Induced Oxidative Stress of Hepg2 Cells Involves Sirtuin 1, P53 and Erk1/2 Signaling.** *Int J Mol Sci.* 2016 Apr 26; 17(5)

## Lung disease

60. Greenberg AK, Rimal B, Felner K, Zafar S, Hung J, Eylers E, Phalan B, Zhang M, Goldberg JD, Crawford B, Rom WN, Naidich D, Merali S. S-adenosylmethionine as a biomarker for the early detection of lung cancer. *Chest.* 2007 Oct; 132(4):1247-52.
61. Yoon SY, Hong GH, Kwon HS, Park S, Park SY, Shin B, Kim TB, Moon HB, Cho YS, S-adenosylmethionine reduces airway inflammation and fibrosis in a murine model of chronic severe asthma via suppression of oxidative stress. *Exp Mol Med.* 2016 Jun 3; 48(6):e236

## Kidney diseases

62. Loehrer FM, Angst CP, Brunner FP, Haefeli WE, Fowler B. **Evidence for disturbed S-adenosylmethionine : S-adenosylhomocysteine ratio in patients with end-stage renal failure: a cause for disturbed methylation reactions?** *Nephrol Dial Transplant.* 1998 Mar;13(3):656-61.
63. Perna AF, Ingrosso D, Zappia V, Galletti P, Capasso G, De Santo NG. **Enzymatic methyl esterification of erythrocyte membrane proteins is impaired in chronic renal failure. Evidence for high levels of the natural inhibitor S-adenosylhomocysteine.** *J Clin Invest.* 1993; 91:2497-2503.

## Methylation and prognostic

64. Gomes MV, Toffoli LV, Arruda DW, Soldera LM, Pelosi GG, Neves-Souza RD, Freitas ER, Castro DT, Marquez AS. **Age-related changes in the global DNA methylation profile of leukocytes are linked to nutrition but are not associated with the MTHFR C677T genotype or to functional capacities.** *PLoS One.* 2012; 7(12):e52570.
65. Rodriguez J, Frigola J, Vendrell E, Risques RA, Fraga MF, Morales C, Moreno V, Esteller M, Capellà G, Ribas M, Peinado MA. **Chromosomal instability correlates with genome-wide DNA demethylation in human primary colorectal cancers.** *Cancer Res.* 2006 Sep 1; 66(17):8462-9468.
66. Calvisi DF, Ladu S, Gorden A, Farina M, Lee JS, Conner EA, Schroeder I, Factor VM, Thorgeirsson SS. **Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma.** *J Clin Invest.* 2007 Sep; 117(9):2713-22.
67. Li J, Huang Q, Zeng F, Li W, He Z, Chen W, Zhu W, Zhang B. **The prognostic value of global DNA hypomethylation in cancer: a meta-analysis.** *PLoS One.* 2014 Sep 3; 9(9):e106290.
68. Seivwright C, Macnab JC, Adams RL. **S-adenosylmethionine metabolism in herpes simplex virus type 2-infected cells.** *J Gen Virol.* 1993; 7:1405-1407.

## Cancers

69. Lightfoot TJ, Skibola CF, Willett EV, Skibola DR, Allan JM, Coppede F, Adamson PJ, Morgan GJ, Roman E, Smith MT. **Risk of non-Hodgkin lymphoma associated with polymorphisms in folate-metabolizing genes.** *Cancer Epidemiol Biomarkers Prev.* 2005 Dec;14(12):2999-3003
70. Poirier LA, Wise CK, Delongchamp RR, Sinha R. **Blood determinations of S-adenosylmethionine, S-adenosylhomocysteine, and homocysteine: correlations with diet.** *Cancer Epidemiol Biomarkers Prev.* 2001

*Jun*; 10(6):649-55.

71. Yokoyama S, Sells MA, Reddy TV, Lombardi B. **Hepatocarcinogenic and promoting action of a choline-devoid diet in the rat.** *Cancer Res.*1985; 45:2834-2842.
72. Poirier LA, Wilson MJ, Shivapurkar N. **Carcinogenesis and DNA hypomethylation in methyl-deficient animals.** *ExpBiol Med.* 1986; 12:151-161.
73. Ilisso CP, Sapio L, Delle Cave D, Illiano M1, Spina A, Cacciapuoti G, Naviglio S, Porcelli M. **S-Adenosylmethionine Affects ERK1/2 and Stat3 Pathways and Induces Apoptosis in Osteosarcoma Cells.** *J Cell Physiol.* 2016 Feb;231(2):428-35.
74. Tony W.H.Li, Heping Yang, Hui Peng, Meng Xia, Jose' M.Mato1 and Shelly C.Lu. **Effects of S-adenosylmethionine and methylthioadenosine on inflammation-induced colon cancer in mice.** *Carcinogenesis.* 2011; Vol 0: 1-9.

## **Nutrition imbalance**

75. Herrmann W, Obeid R. **Biomarkers of folate and vitamin B(12) status in cerebrospinal fluid.** *Clin Chem Lab Med.* 2007; 45(12):1614-20.
76. Poirier LA, Wise CK, Delongchamp RR, Sinha R. **Blood determinations of S-adenosylmethionine, S-adenosylhomocysteine, and homocysteine: correlations with diet.** *Cancer Epidemiol Biomarkers Prev.* 2001 *Jun*; 10(6):649-55.
77. Stabler SP, Allen RH, Dolce ET, Johnson MA. **Elevated serum S-adenosylhomocysteine in cobalamin-deficient elderly and response to treatment.** *Am J Clin Nutr.* 2006 Dec;84(6):1422-9.
78. Guerra-Shinohara EM, Morita OE, Peres S, Pagliusi RA, Sampaio Neto LF, D'Almeida V, Irazusta SP, Allen RH, Stabler SP. **Low ratio of S-adenosylmethionine to S-adenosylhomocysteine is associated with vitamin deficiency in Brazilian pregnant women and newborns.** *Am J Clin Nutr.* 2004 Nov; 80(5):1312-21.
79. Obeid R, Jung J, Falk J, Herrmann W, Geisel J, Friesenhahn-Ochs B, Lammert F, Fassbender K, Kostopoulos P. **Serum vitamin B12 not reflecting vitamin B12 status in patients with type 2 diabetes.** *Biochimie.* 2013 May; 95(5):1056-61.
80. Rogers AE. **Methyl donors in the diet and responses to chemical carcinogens.** *Am J Clin Nutr.* 1995; 61:659S-665S.
81. Fukagawa NK. **Sparing of methionine requirements: evaluation of human data takes sulfur amino acids beyond protein.** *J Nutr.* 2006 Jun;136(6 Suppl):1676S-1681S.

## **Obesity and Diabetes**

82. Elshorbagy AK, Jernerén F, Samocha-Bonet D, Refsum H, and Heilbronn LK. Serum S-adenosylmethionine, but not methionine, increases in response to overfeeding in humans. *Nutrition & Diabetes.* 2016; 6 (e192);doi:10.1038/nutd.2015.44
83. van Driel LM, Eijkemans MJ, de Jonge R, de Vries JH, van Meurs JB, Steegers EA, Steegers-Theunissen RP. **Body mass index is an important determinant of methylation biomarkers in women of reproductive ages.** *J Nutr.* 2009 Dec; 139(12):2315-21.
84. Ngo S, Li X, O'Neill R, Bhoothpur C, Gluckman P, Sheppard A. **Elevated S-adenosylhomocysteine alters adipocyte functionality with corresponding changes in gene expression and associated epigenetic marks.** *Diabetes.* 2014 Jul; 63(7):2273-83.
85. Elshorbagy AK, Nijpels G, Valdivia-Garcia M, Stehouwer CD, Ocke M, Refsum H, Dekker JM. **S-adenosylmethionine is associated with fat mass and truncal adiposity in older adults.** *J Nutr.* 2013 Dec; 143(12):1982-8.

## **Cardiovascular diseases: SAH, HCY**

86. Dayal S, Bottiglieri T, Arning E, Maeda N, Malinow MR, Sigmund CD, et al. **Endothelial dysfunction and elevation of S-adenosylhomocysteine in cystathionineb-synthase-deficient mice.** *Circ Res.*2001; 88:1203-1209.

87. Wagner C, Koury MJ. **S-adenosylhomocysteine: a better indicator of vascular disease than homocysteine?** *Am J Clin Nutr*. 2007;86:1581-1585.
88. Wang WS, Wahlqvist ML, Hsu CC, Chang HY, Chang WC, Chen CC. **Age- and gender-specific population attributable risks of metabolic disorders on all-cause and cardiovascular mortality in Taiwan.** *BMC Public Health*. 2012; 12:111.
89. Barroso, M., D. Kao, H.J. Blom, et al., **S-adenosylhomocysteine induces inflammation through NFkB: A possible role for EZH2 in endothelial cell activation.** *Biochim Biophys Acta*, 2016. 1862(1): 82-92.
90. 2Bharatkumar, V.P., K.J. Rudreshkumar, D. Nagaraja, et al., **Plasma S-adenosylhomocysteine: A potential risk marker for cerebral venous thrombosis.** *Clin Chim Acta*, 2016. 458: 44-8.
91. Capdevila, A., R.F. Burk, J. Freedman, et al., **A simple rapid immunoassay for S-adenosylhomocysteine in plasma.** *J Nutr Biochem*, 2007. 18(12): 827-31.
92. Fruchart, J.C., M.C. Nierman, E.S. Stroes, et al., **New risk factors for atherosclerosis and patient risk assessment.** *Circulation*, 2004. 109(23 Suppl 1): III15-9.
93. Kerins, D.M., M.J. Koury, A. Capdevila, et al., **Plasma S-adenosylhomocysteine is a more sensitive indicator of cardiovascular disease than plasma homocysteine.** *Am J Clin Nutr*, 2001. 74(6): 723-9.
94. Liu, C., Q. Wang, H. Guo, et al., **Plasma S-adenosylhomocysteine is a better biomarker of atherosclerosis than homocysteine in apolipoprotein E-deficient mice fed high dietary methionine.** *J Nutr*, 2008. 138(2): 311-5.
95. Sipkens, J.A., N.E. Hahn, H.J. Blom, et al., **S-Adenosylhomocysteine induces apoptosis and phosphatidylserine exposure in endothelial cells independent of homocysteine.** *Atherosclerosis*, 2012. 221(1): 48-54.
96. Sipkens, J.A., P.A. Krijnen, N.E. Hahn, et al., **Homocysteine-induced cardiomyocyte apoptosis and plasma membrane flip-flop are independent of S-adenosylhomocysteine: a crucial role for nuclear p47(phox).** *Mol Cell Biochem*, 2011. 358(1-2): 229-39.
97. Wagner, C. and M.J. Koury, **S-Adenosylhomocysteine: a better indicator of vascular disease than homocysteine?** *Am J Clin Nutr*, 2007. 86(6): 1581-5.
98. Wagner, C. and M.J. Koury, **Plasma S-adenosylhomocysteine versus homocysteine as a marker for vascular disease.** *J Nutr*, 2008. 138(5): 980; author reply 981.
99. Xiao, Y., W. Huang, J. Zhang, et al., **Increased plasma S-adenosylhomocysteine-accelerated atherosclerosis is associated with epigenetic regulation of endoplasmic reticulum stress in apoE<sup>-/-</sup> mice.** *Arterioscler Thromb Vasc Biol*, 2015. 35(1): 60-70.
100. Xiao, Y., X. Su, W. Huang, et al., **Role of S-adenosylhomocysteine in cardiovascular disease and its potential epigenetic mechanism.** *Int J Biochem Cell Biol*, 2015. 67: 158-66.
101. Xiao, Y., Y. Zhang, M. Wang, et al., **Plasma S-adenosylhomocysteine is associated with the risk of cardiovascular events in patients undergoing coronary angiography: a cohort study.** *Am J Clin Nutr*, 2013. 98(5): 1162-9.
102. Zhang, H., Z. Liu, S. Ma, et al., **Ratio of S-adenosylmethionine to S-adenosylhomocysteine as a sensitive indicator of atherosclerosis.** *Mol Med Rep*, 2016.

## **Others**

103. Arning E, Bottiglieri T. **Quantitation of S-Adenosylmethionine and S-Adenosylhomocysteine in Plasma Using Liquid Chromatography-Electrospray Tandem Mass Spectrometry.** *Methods Mol Biol*. 2016;1378:255-62.
104. Ducros V, Belva-Besnet H, Casetta B, Favier A. **A robust liquid chromatography tandem mass spectrometry method for total plasma homocysteine determination in clinical practice.** *Clin Chem Lab Med*. 2006;44(8):987-90.
105. Klepacki J, Brunner N, Schmitz V, Klawitter J, Christians U, Klawitter J. **Development and validation of an LC-MS/MS assay for the quantification of the trans-methylation pathway intermediates S-adenosylmethionine and S-adenosylhomocysteine in human plasma.** *Clin Chim Acta*. 2013; 421:91-97.
106. Borman S. **Heated dispute over analytical method.** 2015. <http://cen.acs.org/articles/93/i42/Heated-Dispute-Over-Analytical-Method.html>. Accessed October 23, 2015.

